# VBYT-31

### Intel Bay Trail Processors based Fanless Embedded Mini PC with 6LAN



#### **Features**

CPU: Intel Bay Trail Processors

Memory: 1x SO-DIMM DDR3L up to 8GB

Display via: Intel HD Graphics display via VGA

I/O Ports: 6xLAN, 1x COM, 4xUSB2.0.

Ethernet: 10/100/1000Mbps

Storage: SATA, mSATA


Power: 12V DC-in/9-36V Optional





#### Introduction

The VBYT-31 is a small form factor embedded fanless PC based on the Intel® Bay Trail platform. Single-channel SO-DIMM DDR3L up to 8GB to add higher bandwidth and lower latencies for processes, display via VGA. A rich i/o interface includes 6xLAN, 1xCOM and 4xUSB2.0 meets most market's requirements. It provides an excellent customer experience, a long-lasting life expectancy for future development.
















### I/O Interfaces



## **Technical Specifications**

Processor	CPU	J1800	J1900
	Core Frequency	2.41 GHz	2.0 GHz
	Max Turbo Frequency	2.58 GHz	2.42 GHz
	Cache	1MB	2MB
Memory	Type	1x SO-DIMM DDR3L	
	Max. Capacity	8 GB	
Display	GPU	Intel HD Graphics based on CPU	
	Display via	1xVGA	
Ethernet	Speed	10/100/1000Mbps	
	Controller	Intel i210	
	Interface	6xRJ45 LAN	
	Wake on LAN	Yes	
Audio	Audio Codec	Realtek HD	
	Interface	1xCTIA Audio Jack(Line-out+Mic-in)	
Storage	SATA	1	
	mSATA	1	
Expansion	mini-PCIe	1x mini-PCIe for WiFi	
	SIM Slot	Internal: 1xMicro SIM Card Slot	
Other I/O	COM	1xRS232	
	USB2.0	4	
Dimension	Size	190mm x 150mm x 29mm	
Weight	N.W.	860g	
Power	Standard Port	12V DC-in / 9-36V Optional	
Temperature	Operating Temp.	- 20°C to 60°C	
	Storage Temp.	- 20°C to 80°C	
Cooling Method		Passive	
Operating System		Windows 7/8/10, Linux	

 $<sup>\,^\</sup>star\,\text{All}$  specifications and photos are subject to change without notice.

